

SHURE[®]
LEGENDARY
PERFORMANCE™

SVX Wireless

WIRELESS FREEDOM.




SVX Wireless



PERFORM WITHOUT LIMITS.

SVX Wireless Systems are designed for performers that manage their own sound and desire the freedom of wireless. Nothing could be more versatile or easy to operate. Affordable replacement parts and a rugged housing make this an ideal investment for years of confident performance. Your choice of wireless systems with wired mics that come complete with all the accessories you need.



SVX4



SVX88

SVX4 Diversity Receiver

SVX88 Dual Diversity Receiver

- Up to 8 selectable frequencies per band
- Up to 4 compatible channels per band
- Antenna diversity monitors signal strength, adjusting automatically for continuous reception



SVX1



SVX2

SVX2 Handheld or

SVX1 Bodypack Transmitter

- 2AA batteries provide 10 hours of continuous use
- Handheld transmitter with switchable output:
 - LO power mode: 1 mW maximum
 - HI power mode: 10 mW maximum

Microphone Options

Vocal

SVX2

PG28

A rugged mic with an anti-roll ring for lead and back up vocals.



Cardioid Dynamic

50 Hz – 15 kHz



PG58

A rugged mic tuned to accentuate the clarity of lead and back up vocals.



Cardioid Dynamic

50 Hz – 15 kHz



Headworn

PG30

Comfortable, reliable headworn mic for active users.



Cardioid Condenser

40 Hz – 20 kHz



Lavalier

PG185

Reliable lavalier mic for low-profile speech or vocals.



Cardioid Condenser

60 Hz – 12 kHz



Optional Accessories

- WACR Color Rings (6)
- WASRM Single Channel Rack Mount Kit
- WADRM Dual Channel Rack Mount Kit

SVX Single Wireless Systems

SVX24E/PG28-R25



PG28 Vocal System

Rugged mic with anti-roll ring for lead and back up vocals.

- 1 x SVX2 : Handheld Transmitter with PG28 Mic
- 1 x SVX4 : Diversity Receiver

SVX24E/PG58-R25



PG58 Vocal System

Rugged mic tuned to accentuate the clarity of lead and back up vocals.

- 1 x SVX2 : Handheld Transmitter with PG58 Mic
- 1 x SVX4 : Diversity Receiver

SVX14E/PG30-R25



Headworn System

Comfortable, reliable headworn mic for active users.

- 1 x SVX1 : Bodypack Transmitter
- 1 x PG30 : Headset Microphone
- 1 x SVX4 : Diversity Receiver

SVX14E/PG185-R25



Lavalier System

Reliable, wearable mic for low-profile speech or vocals.

- 1 x SVX1 : Bodypack Transmitter
- 1 x PG185 : Lavalier Microphone
- 1 x SVX4 : Diversity Receiver

SVX Dual Wireless Systems

SVX288E/PG28-R25



PG28 Vocal System

Rugged mic with anti-rolling ring for lead and back up vocals.

- 2 x SVX2 : Handheld Transmitter with PG28 Mic
- 1 x SVX88 : Dual Diversity Receiver

SVX288E/PG58-R25



PG58 Dual Vocal System

Two rugged mics tuned to accentuate the clarity of lead and back up vocals and dual channel receiver.

- 2 x SVX2 : Handheld Transmitter with PG58 Mic
- 1 x SVX88 : Dual Diversity Receiver

SVX188E/PG185-R25



Lavalier System

Reliable lavalier mic for speech or vocals.

- 2 x SVX1 : Bodypack Transmitter
- 2 x PG185 : Lavalier Microphone
- 1 x SVX88 : Dual Diversity Receiver

Technical Specifications

- **Available Frequencies:** between 794 –806 MHz
(R25 - Band for Thailand Regulation)
- **Operating Range:** LO power mode: 18 m (60 ft.)*
HI power mode: 75 m (250 ft.)*
* under typical conditions
- **Audio Frequency Response:** 50 Hz – 15 kHz
- **Transmitter RF Output Power:** LO power mode: 1 mW maximum
HI power mode: 10 mW maximum
- **Audio Output Connector:** XLR balanced and ¼" unbalanced

- **Maximum Output Level:** -19 dBV (XLR), -5 dBV (1/4")
(ref. +/-33kHz deviation with 1 kHz tone)
- **Battery Life:** Up to 10 hours with 2 AA batteries
- **Dynamic Range:** >90dB, A-weighted
- **System Distortion:** <1 % (ref. ±48 kHz deviation, 1 kHz tone)

Note: All specifications are subject to change without prior notice.

Performance may vary depending on country regulations and operating environment.

SHURE[®]
LEGENDARY
PERFORMANCE™

**United States, Canada,
Latin America, Caribbean:**
Shure Incorporated
5800 West Touhy Avenue
Niles, IL 60714-4608 USA

Phone: 847-600-2000
Fax: 847-600-1212 (USA)
Fax: 847-600-6446
Email: info@shure.com

Europe, Middle East, Africa:
Shure Europe GmbH
Wannenäckerstr. 28,
74078 Heilbronn, Germany

Phone: 49-7131-72140
Fax: 49-7131-721414
Email: info@shure.de

Asia, Pacific:
Shure Asia Limited
22/F, 625 King's Road,
North Point, Island East,
Hong Kong

Phone: 852-2893-4290
Fax: 852-2893-4055
Email: info@shure.com.hk