

SlimPAR T12 USB

SlimPAR T12 USB is a high output tri-color (RBG) LED wash light with built-in D-FI USB compatibility to allow instant wireless control in DMX or master/slave mode. Tri-color LEDs virtually eliminate distractive multicolored shadows. The even, flicker-free output of this fixture makes it ideal for front light applications and use in video productions. The optional IRC-6 remote can be used to access automated programs, and control static colors. Compact enough to fit inside truss sticks, SlimPAR T12 USB is best transported in the CHS-30 VIP Gear Bag.



Highlights

- Low-profile, high-output tri-color (RGB) LED Par
- D-Fi™ USB compatibility for wireless Master/Slave or DMX control
- Slaves perfectly with other tri-color USB-series products including the 4BAR™ Tri USB
- Nearly eliminate multicolored shadows with high-power, tri-color LEDs
- Convenient access to RGB color mixing and static colors with or without DMX
- Flicker-free operation suitable for on-camera use
- Save time running cables and extension cords by power linking multiple units
- Access built-in automated programs via IRC-6 remote, Master/Slave or DMX
- Easily control static colors and automated programs with the optional IRC-6 remote
- Fits best in the CHS-30 VIP Gear Bag
- Compact design easily fits inside sticks of TRUSST®

Specifications

- DMX Channels: 3 or 8
- DMX Connectors: 3-pin XLR
- Light Source: 12 LEDs (tri-color RGB) 3 W (1 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz • PWM Frequency: 1,200 Hz
- Beam Angle: 15° • Field Angle: 29°
- Illuminance: 3,801 lux @ 2 m
- Power Linking: 14 units @ 120 V; 25 units @ 230 V • Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 39 W, 0.6 A @ 120 V, 60 Hz 39 W, 0.3 A @ 230 V, 50 Hz
- Weight: 4 lb (1.8 kg)
- Size: 8.9 x 3.3 x 9.9 in (227 x 84 x 252 mm)
- Approvals: CE
- Optional Controllers: IRC-6, D-Fi™ USB

What's Included

- Power cord
- Hanging bracket with mounting hardware
- Warranty card
- Quick Reference Guide